

## Support bracket - AB-PTI/3 - 3213974

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Support bracket, Bracket for busbars, set every 20 cm, Pitch: 200 mm, Length: 103 mm, Width: 2 mm, Height: 46 mm, Number of positions: 1, Color: blue



### Key Commercial Data

Packing unit	1 STK
Minimum order quantity	50 STK
GTIN	 4 046356 609821
GTIN	4046356609821
Weight per Piece (excluding packing)	8.000 g
Custom tariff number	85472000
Country of origin	Poland

### Technical data

#### Dimensions

Length (b)	103 mm
Width (a)	2 mm
Height	46 mm

#### General

Color	blue
Flammability rating according to UL 94	V0
Material	PA

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

# Support bracket - AB-PTI/3 - 3213974

## Technical data

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 4.0	23150301
eCl@ss 4.1	23150301
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27400607
eCl@ss 7.0	27400607
eCl@ss 8.0	27400607
eCl@ss 9.0	27400607

### ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC002270
ETIM 5.0	EC001166
ETIM 6.0	EC001166

### UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

## Support bracket - AB-PTI/3 - 3213974

### Approvals

---

#### Approval details

EAC		EAC-Zulassung
-----	---	---------------

---